



PRODUCT GUIDE 2026

MMS + REDBACK



Stay safe with us



MMS are the leaders in the manufacture of a complete range of test tags, danger labels and customised label solutions.



Redback Ladders produce quality fibreglass ladders that are manufactured to Australian Standards and carry an industrial rating of 150kg.

MMS Safety

design, manufacture & distribute

PRODUCT GUIDE

CONTENTS

MMS TEST TAGS & SAFETY RANGE	4
SELF LAMINATING HEAVY DUTY	5
CUSTOMISED SELF-LAMINATING HEAVY DUTY TEST TAGS	6
FLAG STYLE HEAVY DUTY TEST TAGS	7
LOG BOOK & ACCESSORIES	7
TEST TAG REMOVAL TOOL	7
DANGER HEAVY DUTY LABELS	8
SPECIALTY HEAVY DUTY LABELS	8
LOCKOUT HEAVY DUTY TAGS	9
SPECIALTY TAGS	10
PHONE CHARGER TAG	10
WARNING SIGN	10
RCD, WRAP AROUND & CALIBRATION TEST TAGS	11
CUSTOM LABELS	12
CUSTOMISED ORDER FORM	13
REDBACK LADDERS	14
PLATFORM STEP LADDER	15
DOUBLE SIDED STEP LADDER	15
EXTENSION LADDER	16
DUAL PURPOSE LADDER	16
REDBACK LADDER ACCESSORIES	17



TEST TAGS

PERSONALISE YOUR TEST TAGS

Include your company logo, contact details and prefill tag information at no extra cost.

DESIGN TO DISTRIBUTION

We design, manufacture and distribute a complete range of safety and test labelling solutions.

100% AUSTRALIAN OWNED

Buy with confidence knowing you are purchasing from a 100% Australian owned & operated business.

TEST DUE 17/06/22	TEST DATE 17/10/21
PLANT No. / ITEM 2468	CERT. / LIC. No. 654321
TESTED BY MYLOGO	INSPECTION No. 001
CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	
◀ PLACE LEAD HERE ▶ FOR ALL MAINTENANCE CONTACT	
MYLOGO	
1300 989 498 cam@mylogo.com.au	
TAG NUMBER 123456	
APPLIANCE TEST TAG INSPECTED / TESTED TO: AS/NZS 3760	

SELF LAMINATING HEAVY DUTY TEST TAGS

Our range of standard self-laminating test tags provides matching durability and quality in a range of colours to suit your requirements - available in packs of 100 with marking pen included.

- Digitally Printed
- UV, temperature, abrasion, smear and tear resistant
- Manufactured to withstand the toughest conditions
- 110 x 46mm
- Other colours available upon request

STANDARD TAG COLOUR RANGE

Part No	Colour	Part No	Colour
MMSSLR	RED	MMSSLBGY	BURGUNDY
MMSSLG	GREEN	MMSSLGRY	GREY
MMSSLB	BLUE	MMSSLM	MIXED
MMSSLY	YELLOW	MMSSLP	PINK
MMSSLO	ORANGE	MMSSLPR	PURPLE
MMSSLW	WHITE	MMSSLBRN	BROWN
MMSSLBK	BLACK	MMSSLC	CLEAR



TEST DUE	TEST DATE
CERT. / LIC. No.	PLANT No. / ITEM
TESTED BY	INSPECTION No.
FOR ALL MAINTENANCE CONTACT	

PLACE LEAD HERE

CAUTION
ENSURE TEST IS CURRENT BEFORE OPERATING
IF APPLIANCE IS DEFECTIVE IN ANY WAY
PLEASE INFORM YOUR SAFETY OFFICER

123456

APPLIANCE TEST TAG
INSPECTED / TESTED TO: AS/NZS 3760

TEST DUE	TEST DATE
CERT. / LIC. No.	PLANT No. / ITEM
TESTED BY	INSPECTION No.
FOR ALL MAINTENANCE CONTACT	

PLACE LEAD HERE

CAUTION
ENSURE TEST IS CURRENT BEFORE OPERATING
IF APPLIANCE IS DEFECTIVE IN ANY WAY
PLEASE INFORM YOUR SAFETY OFFICER

123456

APPLIANCE TEST TAG
INSPECTED / TESTED TO: AS/NZS 3760

TEST DUE	TEST DATE
CERT. / LIC. No.	PLANT No. / ITEM
TESTED BY	INSPECTION No.
FOR ALL MAINTENANCE CONTACT	

PLACE LEAD HERE

CAUTION
ENSURE TEST IS CURRENT BEFORE OPERATING
IF APPLIANCE IS DEFECTIVE IN ANY WAY
PLEASE INFORM YOUR SAFETY OFFICER

123456

APPLIANCE TEST TAG
INSPECTED / TESTED TO: AS/NZS 3760

TEST DUE	TEST DATE
CERT. / LIC. No.	PLANT No. / ITEM
TESTED BY	INSPECTION No.
FOR ALL MAINTENANCE CONTACT	

PLACE LEAD HERE

CAUTION
ENSURE TEST IS CURRENT BEFORE OPERATING
IF APPLIANCE IS DEFECTIVE IN ANY WAY
PLEASE INFORM YOUR SAFETY OFFICER

123456

APPLIANCE TEST TAG
INSPECTED / TESTED TO: AS/NZS 3760

TEST DUE	TEST DATE
CERT. / LIC. No.	PLANT No. / ITEM
TESTED BY	INSPECTION No.
FOR ALL MAINTENANCE CONTACT	

PLACE LEAD HERE

CAUTION
ENSURE TEST IS CURRENT BEFORE OPERATING
IF APPLIANCE IS DEFECTIVE IN ANY WAY
PLEASE INFORM YOUR SAFETY OFFICER

123456

APPLIANCE TEST TAG
INSPECTED / TESTED TO: AS/NZS 3760

TEST DUE	TEST DATE
CERT. / LIC. No.	PLANT No. / ITEM
TESTED BY	INSPECTION No.
FOR ALL MAINTENANCE CONTACT	

PLACE LEAD HERE

CAUTION
ENSURE TEST IS CURRENT BEFORE OPERATING
IF APPLIANCE IS DEFECTIVE IN ANY WAY
PLEASE INFORM YOUR SAFETY OFFICER

123456


APPLIANCE TEST TAG
INSPECTED / TESTED TO: AS/NZS 3760

CUSTOMISED SELF-LAMINATING HEAVY DUTY
TEST TAGS



Text boxes can be pre-filled
with information

Tags supplied in packs of 100
(min 5 Pks)



LOGO and other information
can be printed here

Tag numbers, barcodes or QR
codes are available




This range of heavy duty test tags can be customised to suit your requirements at no extra cost. We can incorporate full colour logos, licence numbers and company contact details to encourage repeat business. Available in packs of 100 with marking pen included. We also offer customisation on our range of slim tags - 110mm x 32mm.

Part No	Description
MMSSLCUSTOM	Standard
MMSSKCUSTOM	Slim

- Save time with our customised appliance test tags to suit your business.
- Customised appliance test tags come pre-printed with key information to save time by avoiding filling out each tag individually.
- Each tag comes pre-printed with data that you choose.
- Branded test tags, with your logo and business information are highly effective in promoting your business.
- Please get in touch today, to organise your free consultation for a personalised design complete with logo and key information.



FLAG STYLE HEAVY DUTY TEST TAGS



APPLIANCE TEST TAG

Our range of flag style test tags are easy to secure to a cable with a unique fastening clip that doesn't compromise the integrity of the tag. Easily removed with pliers, this robust tag offers durability with ease of installation and removal.

- Efficient application & removal with clamping clip
- UV, temperature, smear and tear resistant
- Tags supplied in pack of 100

Part No	Colour
MMSTAR	RED
MMSTAG	GREEN
MMSTAB	BLUE
MMSTAY	YELLOW
MMSTABLK	BLACK

Part No	Colour
MMSTABGY	BURGUNDY
MMSTAW	WHITE
MMSTAO	ORANGE
MMSTAM	MIXED



LOG BOOK & ACCESSORIES

MMS Safety supply a high quality range of logbooks and accessories.

Electrical Equipment Log Book & RCD Log Book features:

- Quick find index
- 100 items per book

Marker pens feature:


- Extra fine tip to avoid smearing
- Specialty formulated ink for the industrial, laboratory and commercial use
- Resistant to bleeding when exposed to extreme heat / processing chemicals or UV



Part No	Description
MMSLOGBK	STANDARD LOG BOOK
MMSRCDLB	RCD LOG BOOK
MMSPEN	PERMANENT MARKING PEN


TEST TAG REMOVAL TOOL

The Test Tag Removal Tool makes removal of tags safe and simple, avoiding accidental injury and potential cable damage.



Part No
MMS-TRT

DANGER HEAVY DUTY LABELS



Our range of adhesive danger & specialty labels are made of heavy duty vinyl and protected by clear laminate.

- Pack quantity of 5
- Size 110 X 90 mm

Part No	Description
MMS-DAN240	DANGER 240V
MMS-DANLPE	LIVE PARTS ENCLOSED
MMS-DANROES	RISK ELECTRICAL SHOCK
MMS-DANMS	DANGER MAIN SWITCH
MMS-DANHVS	DANGER HIGH VOLTAGE
MMS-DAN415	DANGER 415V
MMS-DANHAZ	DANGER HAZARD


SPECIALTY HEAVY DUTY LABELS



- Resistant to tear, abrasion, oil and moisture
- Tamperproof
- Size 100 x 90 mm
- Supplied in packs of 10

Part No	Description
MMSPOLE	PRIVATE POLE
MMSPILLAR	PRIVATE PILLAR
MMS-LIVE	WARNING LIVE

LOCKOUT HEAVY DUTY TAGS



We carry a wide range of 100% Promeg Poly Propylene lockout tags. Lockout Tags are available in packs of 5 or in bulk packs of 100.

Features include; Semi-Rigid 0.6mm Promeg with 10mm brass eyelets for greater strength and increased durability. Tags can be attached with a lockout device or nylon tie.

Promeg has no Plasticizers, no leachable components, no lead, and no heavy metals. All the components in Promeg conform to AS2070 Plastic Parts, suitable for food contact.

They come in packs of five which includes five tags, five cable ties and a marker pen. Bulk packs come with one marker pen only.

Part No	Description	Qty
MMS-001	EQUIPMENT LOCKED OUT	5
MMS-001/100	EQUIPMENT LOCKED OUT BULK	100
MMS-005	OUT OF SERVICE	5
MMS-005/100	OUT OF SERVICE BULK	100
MMS-10	HANDS OFF DO NOT OPERATE	5
MMS-23	DO NOT OPERATE ELEC AT WORK	5
MMS-23/100	DO NOT OPERATE ELEC AT WORK BULK	100

Part No	Description	Qty
MMS-24	DO NOT START	5
MMS-41	DO NOT OPERATE	5
MMS-41/100	DO NOT OPERATE LOCK OUT TAG BULK	100
MMS-44	DO NOT OPERATE MTC DEPT	5
MMS-9	MEN WORKING ON MACHINERY LOCK OUT	5
MMS-96	EQUIPMENT LOCKED OUT LOCK OUT TAG	5
MMS-LI	LADDER INSPECTION TAG	5
MMS-INFOTAG	INFORMATION TAG	5

SPECIALTY
TAGS




These special purpose tags are specifically designed for applicable operational circumstances of the equipment being tested.

- Size: 110mm X 46mm
- Supplied in packs of 100

Part No	Description
MMS-FAILED	FAILED TEST
MMS-FAST	FAULTY APPLIANCE SAFETY
MMS-FOM	FIBRE OPTIC
MMS-INTRO	INTRODUCTION TO SERVICE
MMS-MEC	20 MAIN ELEC EARTH LABELS
MMS-MICRO	MICROWAVE LEAKAGE
MMS-DANGER	DANGER TAG

PHONE CHARGER TAG



Part No
MMS-SLPHONECHG

WARNING
SIGN

Our warning recessed lights sign design encompasses the highest quality yellow polypropylene durable material to withstand tearing, moisture, temperature rise, and insects. It complies with AS1319 guidelines including a minimum letter height of 10mm.

Part No	Qty	Part No	Qty
MMSRWS/1	1	MMSRWS/10	10
MMSRWS/5	5	MMSRWS/50	50



RCD, WRAP AROUND & CALIBRATION TEST TAGS

RCD test tags are supplied flat packed with each individual sticker ready to be adhered to the appliance.

Wrap around barcode labels are supplied on a roll, ready to be adhered directly to cables.

Tags can be customised to suit your needs.

CALIBRATION	
EQUIP No:	
TESTED BY:	
TEST DATE:	
RETEST DUE:	

< RCD TEST TAG >	
TESTED BY	
CIRCUIT NUMBER	
TRIP TIME	TRIP CURRENT
TEST DATE	NEXT TEST DUE

RCD TESTED BY	TRIP TIME
LICENCE No.	NEXT TEST DUE

000001	
--------	--

CALIBRATION

Part No	Description	Qty
MMS-CAL	CALIBRATION LABELS STD SIZE 25X40MM	100

RCD & MINI RCD

Part No	Description	Qty
MMS-RCDMT	RCD LABEL 42X48MM	100
MMS-RCDTT	RCD STICKER 17X37MM	100

RCD CUSTOM


Part No	Description	Qty
MMS-RCDMTCUS	RCD LABEL CUSTOM 42X48MM	100
MMS-RCDTTCUS	RCD STICKER CUSTOM 17X37MM	100

WRAP AROUND BARCODE

Part No	Description	Qty
WA BARCODE	WRAP AROUND BARCODE LABEL 25X90MM	1000

Benefits of Custom Labels

Get in touch today, to organise your free design proof and quote.



DANGER

**ISOLATE ELSEWHERE
BEFORE REMOVING
COVER**



**WATCH YOUR
FINGERS AND
YOUR HANDS**

[illegible]

AUTHORISED PERSONS

CUSTOMISED ORDER FORM

BRANCH DETAILS HERE

BRANCH:	
ORDER No:	
CONTACT:	
PHONE No:	
REQUIRED BY:	

CUSTOMER DETAILS HERE

BRANCH:	
ORDER No:	
CONTACT:	
PHONE No:	
REQUIRED BY:	

PLEASE SELECT TAG COLOUR & QTY

RED	GREEN	BLUE	YELLOW	WHITE
CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER
Qty	Qty	Qty	Qty	Qty

ORANGE	BLACK	GREY	BURGUNDY	PURPLE
CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER
Qty	Qty	Qty	Qty	Qty

All tags come with a standard TAG NUMBER box
Barcodes are available on request, please tick the
box if required



--

LOGO REQUIREMENTS

Please supply your logo in .ai or .eps file format. If not available, please
supply a high quality .pdf, .jpeg or .png file

PLEASE NOTE

All tags must have a 'test date' and
'test due date' field. Please use
the blank template to mark up your
requirements e.g. Company Logo,
Address, Phone Number and Email

TEST DUE	TEST DATE
PLANT No. / ITEM	CERT. / LIC. No.
TESTED BY	INSPECTION No.
CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	
PLACE LEAD HERE FOR ALL MAINTENANCE CONTACT	
TAG NUMBER	
APPLIANCE TEST TAG INSPECTED / TESTED TO: AS/NZS 3760	

TEST DUE	TEST DATE
PLANT No. / ITEM	CERT. / LIC. No.
TESTED BY	INSPECTION No.
CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	
PLACE LEAD HERE FOR ALL MAINTENANCE CONTACT	
 1300 989 498 cam@mylogo.com.au TAG NUMBER 0123456 APPLIANCE TEST TAG INSPECTED / TESTED TO: AS/NZS 3760	

TEST DUE	TEST DATE
PLANT No. / ITEM	CERT. / LIC. No.
TESTED BY	INSPECTION No.
CAUTION IF TEST NOT CURRENT INFORM YOUR SAFETY OFFICER	
PLACE LEAD HERE FOR ALL MAINTENANCE CONTACT	
 1300 989 498 cam@mylogo.com.au TAG NUMBER 0123456 APPLIANCE TEST TAG INSPECTED / TESTED TO: AS/NZS 3760	

CUSTOMISED RCD TEST TAGS & CALIBRATION LABELS ARE ALSO AVAILABLE
CONTACT US ON 1300 989 498 OR EMAIL YOUR COMPLETED FORM TO sales@mmssafety.com.au



**Strength, durability
and dependability
at an affordable price.**

REDBACK LADDERS

KEY FEATURES INCLUDE

- Anti-Slip Treads
- Triangular Double Tread
- Bracing
- Cross Brace Locking System
- Quad Studded Cap Plate
- Spreader Arm Support
- Quad Studded Spreader Plate
- Reinforced D Ring Construction
- Double Riveted Treads

QUALITY FIBREGLASS LADDERS

Redback Ladders manufacture quality fibreglass ladders at a competitive price. All ladders carry an industrial rating of 150kg and are manufactured to Australian Standards.

Each model is independently tested by a NATA approved lab to ensure all ladders are consistent with strength, durability and dependability.

The Redback Ladder range varies from step ladders, to platform ladders or an extension ladders, built strong to handle repetitive, everyday use, making them a perfect choice for trade or commercial applications.



PLATFORM STEP LADDER



HEAVY DUTY FIBREGLASS PLATFORM LADDERS

The Heavy Duty Fibreglass Platform Ladders provide the ultimate level of safety. The platform provides a large, flat and secure area to stand.

A platform safety rail has also been added to the range of accessories available, which locks in place behind the user ensuring complete safety.

Part No	Description
RBLFPFM90	LADDER PLATFORM HD FIBREGLASS 0.9M
RBLFPFM120	LADDER PLATFORM HD FIBREGLASS 1.2M
RBLFPFM150	LADDER PLATFORM HD FIBREGLASS 1.5M
RBLFPFM180	LADDER PLATFORM HD FIBREGLASS 1.8M
RBLFPFM200	LADDER PLATFORM HD FIBREGLASS 2M
RBLFPFM230	LADDER PLATFORM HD FIBREGLASS 2.3M

DOUBLE SIDED STEP LADDER



HEAVY DUTY DOUBLE SIDED STEP LADDERS

The Heavy Duty Fibreglass Double Sided Step ladders are part of the top of the range ladders including the added feature of double sided steps still with a heavy duty load rating of 150kg.

Part No	Description
RBLFDS90	LADDER 2 SIDED HD FIBREGLASS 0.9M
RBLFDS120	LADDER 2 SIDED HD FIBREGLASS 1.2M
RBLFDS180	LADDER 2 SIDED HD FIBREGLASS 1.8M
RBLFDS240	LADDER 2 SIDED HD FIBREGLASS 2.4M
RBLFDS300	LADDER 2 SIDED HD FIBREGLASS 3M
RBLFDS360	LADDER 2 SIDED HD FIBREGLASS 3.6M

EXTENSION LADDER



HEAVY DUTY FIBREGLASS EXTENSION LADDERS

The Heavy Duty Fibreglass Extension Ladders are designed with safety in mind, with a heavy duty capacity of 150kg load bearing step rating, this ladder is suitable for most low voltage installations.

Part No	Description
RBLFEX260/410	LADDER EXTENSION HD FIBREGLASS 2.6-4.1M
RBLFEX330/530	LADDER EXTENSION HD FIBREGLASS 3.3-5.3M
RBLFEX380/650	LADDER EXTENSION HD FIBREGLASS 3.8-6.5M
RBLFEX430/770	LADDER EXTENSION HD FIBREGLASS 4.3-7.7M

DUAL PURPOSE LADDER



HEAVY DUTY DUAL PURPOSE LADDERS


The Heavy Duty Dual Purpose Ladders have been designed with the ability to be converted from a stepladder to an extension ladder. This ladder is ideal for a tradesperson or contractor requiring both a step ladder and an extension ladder.

Part No	Description
RBLFDP170/330	LADDER DUAL HD FIBREGLASS 1.7 - 3.3M
RBLFDP200/390	LADDER DUAL HD FIBREGLASS 2.0 - 3.9M
RBLFDP230/450	LADDER DUAL HD FIBREGLASS 2.3 - 4.5M


REDBACK LADDER ACCESSORIES



STEEL & RUBBER FEET SET



FULLY ENCLOSED SAFETY RAIL



POLE REST BRACKET KIT



Part No	Description
RBLFTP	REDBACK LADDER YELLOW FEET - SS & PF
RBLDSFT	REDBACK LADDER YELLOW FEET - DS & DP
RBLEXTFT	STEEL AND RUBBER FEET KIT - EXT
RBLRAIL	FULLY ENCLOSED SAFETY RAIL
RBLWSET	WHEEL KIT PLATFORM LADDER
RBLPMBK	POLE REST BRACKET

NOTES



GET IN TOUCH

1300 989 498

www.mmssafety.com.au